

UNI servis HAMIL - MILAN HABÁNEK

predaj a servis elektrického náradia, záhradnej techniky a náhradných dielov:
NAREX • FESTOOL • METABO • MAKITA • MILWAUKEE • BOSCH • FLEX • FEIN
DEWALT • BLACK&DECKER • AEG • REBIR • IRWIN • LENOX • SOLGA

www.uniservis.sk

Legionárska 30 • 911 01 Trenčín

tel.: +421 32 6522 688 • mobil: +421 905 329 762 • mobil: +421 918 486 038

e-mail: hamil@uniservis.sk



2025

PILOVÉ KOTUČE OBYČAJNÉ

KÓD	D	Dd	T	HR	Cena
Z-60-200	200mm	30mm	60	1,9mm	8,20
Z-36-250	250mm	30mm	36	2mm	10,20
Z-60-250	250mm	30mm	60	2mm	11,40
Z-30-300	300mm	30mm	30	2,5mm	18,05
Z-36-400	400mm	30mm	36	3,2mm	38,10
Z-60-400	400mm	30mm	60	3,2mm	44,00
Z-36-450	450mm	30mm	36	3,2mm	45,15
Z-60-450	450mm	30mm	60	3,2mm	48,70
Z-48-500	500mm	30mm	48	3,5mm	46,90



PÍLOVÉ KOTÚČE NA HLINÍK

KÓD	D	Dd	REDUKCIA	T	HR	HRT	Cena
L-48-184	184mm	30mm	20mm	84	1,6mm	2,7mm	225,30,
L-60-200	200mm	30mm	16,20mm	60	1,8mm	2,9mm	26,09
L-60-210	210mm	30mm	16,20mm	60	1,9mm	2,9mm	29,73
L-48-216	216mm	30mm	16,20mm	48	1,9mm	2,9mm	38,50
L-60-216	216mm	30mm	16,20mm	60	1,9mm	2,9mm	39,62
L-60-250	250mm	30mm	20mm	60	2,00mm	3,10mm	42,90
L-80-250	250mm	30mm	20mm	80	2,00mm	3,10mm	52,01
L-100-250	250mm	30mm	20mm	100	2,00mm	3,10mm	49,45
L-80-300	300mm	30mm	20mm	80	2,4mm	3,30mm	49,45
L-96-300	300mm	30mm	20mm	96	2,4mm	3,30mm	55,76
L-96-315	315mm	30mm	20mm	96	2,4mm	3,30mm	56,17
L-84-350	350mm	30mm	20mm	84	2,4mm	3,30mm	75,92



PÍLOVÉ KOTÚČE TK ŠTANDARDNÉ

KÓD	D	Dd	REDUKCIA	T	HR	HRTK	Cena
T-16-130	130	16	12mm	16	1,30mm	2,00mm	6,65
T-24-130	130	16	12mm	24	1,30mm	2,00mm	6,77
T-30-130	130	16	12mm	30	1,30mm	2,00mm	6,67
T-16-140	140	12,7	-	16	1,30mm	2,00mm	6,67
T-24-140	140	12,7	-	24	1,30mm	2,00mm	6,75
T-30-140	140	12,7	-	30	1,30mm	2,00mm	7,02
T-24-150.20	150	20	16mm	24	1,50mm	2,20mm	6,91
T-36-150.20	150	20	16mm	36	1,50mm	2,20mm	6,75
T-48-150.20	150	20	16mm	48	1,50mm	2,20mm	7,17
T-24-160.20	160	20	16mm	24	1,50mm	2,20mm	6,75
T-24-160.30	160	30	16mm	24	1,50mm	2,20mm	6,75
T-30-160.20	160	20	16mm	30	1,50mm	2,20mm	7,15
T-30-160.30	160	30	16mm	30	1,50mm	2,20mm	7,80
T-36-160.20	160	20	16mm	36	1,50mm	2,20mm	8,20
T-36-160.30	160	30	16mm	36	1,50mm	2,20mm	8,20
T-24-165	165	30	16mm	24	1,50mm	2,20mm	6,90
T-48-165	165	30	16mm	48	1,50mm	2,20mm	8,20



T-24-170	170	30	16mm	24	1,50mm	2,20mm	7,05
T-36-170-20	170	20	16mm	36	1,50mm	2,20mm	8,50
T-36-170	170	30	16mm	36	1,50mm	2,20mm	8,50
T-48-170	170	30	16mm	48	1,50mm	2,20mm	9,40
T-24-180.20	180	20	#VALUE!	36	1,50mm	2,20mm	7,45
T-24-180.30	180	30	25mm	24	1,50mm	2,30mm	7,45
T-48-180.20	180	20	-	48	1,50mm	2,30mm	8,85
T-48-180.30	180	30	25mm	48	1,50mm	2,30mm	8,95
T-24-185	185	30	16mm	24	1,70mm	2,30mm	8,95
T-36-185-20	185	20	16mm	36	1,70mm	2,30mm	9,65
T-48-185	185	30	16mm	48	1,70mm	2,30mm	9,15
T-24-190	190	30	20,16mm	24	1,70mm	2,30mm	8,80
T-36-190	190	30	20,16mm	36	1,70mm	2,30mm	10,10
T-36-190-20	190	20	16mm	36	1,7mm	2,30mm	10,10
T-48-190	190	30	20,16MM	48	1,7mm	2,30mm	10,10
T-24-200	200	30	20,16mm	24	1,80mm	2,50mm	9,25
T-36-200	200	30	20,16mm	36	1,80mm	2,50mm	9,40
T-40-200	200	30	20,16mm	40	1,80mm	2,50mm	10,05
T-48-200	200	30	20,16mm	48	1,80mm	2,50mm	10,40
T-60-200	200	30	20,16mm	60	1,80mm	2,50mm	11,50
T-24-210	210	30	20mm	24	1,80mm	2,50mm	9,55
T-36-210	210	30	20mm	36	1,80mm	2,50mm	10,10
T-48-210	210	30	20mm	48	1,80mm	2,50mm	10,55
T-24-230	230	30	20mm	24	1,80mm	2,50mm	10,40
T-36-230	230	30	20mm	36	1,80mm	2,50mm	10,25
T-48-230	230	30	20mm	48	1,80mm	2,50mm	11,00
T-48-235	235	30	20mm	48	1,80mm	2,50mm	11,90
T-24-240	240	30	20mm	24	1,80mm	2,50mm	10,65
T-36-240	240	30	20mm	36	1,80mm	2,50mm	11,20
T-48-240	240	30	20mm	48	1,80mm	2,50mm	12,00
T-24-250	250	30	20mm	24	2,00mm	2,80mm	15,55

T-40-250	250	30	20mm	40	2,00mm	2,80mm	16,10
T-48-270	270	30	20mm	48	2,00mm	2,80mm	17,30

PÍLOVÉ KOTÚČE TK PROFESIONÁLNE

KÓD	D	Dd	REDUKCIA	T	HR	HRT	Cena
P-24-210	210mm	30mm	20mm	24	1,8mm	2,8mm	19,50
P-48-210	210mm	30mm	20mm	48	1,8mm	2,8mm	21,90
P-60-210	210mm	30mm	20mm	60	1,8mm	2,8mm	23
P-24-216	216mm	30mm	20mm	24	1,8mm	2,8mm	19,8
P-48-216	216mm	30mm	20mm	48	1,8mm	2,8mm	21,7
P-60-216	216mm	30mm	20mm	60	1,8mm	2,8mm	24,1
P-24-250	250mm	30mm	20mm	24	2,00mm	3,00mm	19,95
P-48-250	250mm	30mm	20mm	48	2,00mm	3,00mm	22,5
P-60-250	250mm	30mm	20mm	60	2,00mm	3,00mm	25,95
P-80-250	250mm	30mm	20mm	60	2,0mm	3,0mm	25,65
P-60-260	260mm	30mm	20mm	60	2,00mm	3,00mm	26,65
P-36-300	300mm	30mm	25.25.4mm	36	2,00mm	3,00mm	32,85
P-60-300	300mm	30mm	25.25.4mm	60	2,00mm	3,00mm	36,15
P-96-300	300mm	30mm	20mm	96	2,10mm	3,20mm	45,15
P-48-305	305mm	30mm	254mm	48	2,10mm	3,10mm	35,2
P-36-315	315mm	30mm	-----	36	2,10mm	3,20mm	33,13
P-60-315	315mm	30mm	-----	60	2,10mm	3,20mm	36,20
P-36-355	355mm	30mm	25.25.4mm	36	2,35mm	3,3mm	3430
P-48-355	355mm	30mm	25..4mm	48	2,35mm	3,3mm	36,65
P-60-355	355mm	30mm	25,4mm	60	2,35mm	3,3mm	39,05
P-48-400	400mm	30mm	25mm	48	2,5mm	3,3mm	51,30
P-80-400	400mm	30mm	25mm	80	2,5mm	3,3mm	58,65
P-48-455	455mm	30mm	25mm	48	2,5mm	3,5mm	63,85
P-90-455	455mm	30mm	25mm	90	2,5mm	3,5mm	70,40



01,01,2025